

**HIGH-QUALITY PARTS**  
AS STANDARD

# **OIL, LUBRICANTS AND FILTRATION RANGE**

Available exclusively through your  
local Scania branch or visit:  
[www.vehiclerelatedservices.co.uk](http://www.vehiclerelatedservices.co.uk)

**VRS**  
VEHICLE RELATED SERVICES

# BRANCH LOCATOR

## SCANIA SCOTLAND

Aberdeen	01224 896312
Bellshill	01698 841994
Dumfries	01387 250502
Dundee	01382 455556
Edinburgh	0131 333 2362
Glasgow	0141 886 5633
Grangemouth	01324 620620
Inverness	01463 729400

## SCANIA NORTH

Darlington	01325 480713
Leeds	01132 311411
Newcastle-upon-Tyne	0191 256 1900
Normanton	01924 228800
Thirsk	01845 573500
Washington	01914 188500

## SCANIA EAST

Boston	01205 460841
Grimsby	01472 346913
Hull	01482 296640
Lincoln	01522 681222
Scunthorpe	01724 289088
Sheffield	01142 626700
Spalding	01775 713707

## SCANIA SOUTH-WEST

Abingdon	01235 553596
Avonmouth	01179 379800
Banbury	01295 272857
Bridgwater	01278 685060
Exeter	01392 824474
Fareham	01489 886800
Poole	01202 533978
Redruth	01209 310090
Shepton Mallet	01749 880088
Southampton	02380 734455
Swindon	01793 715100

## SCANIA SOUTH-EAST

Gatwick	01293 305230
Heathrow	01784 240777
Maidstone	01622 538555
Purfleet	01708 257400
South Mimms	01707 649955
Stansted	01279 758088

## HAYDOCK COMMERCIAL VEHICLES

Deeside	01244 547202
Ellesmere Port	0151 355 0199
Haydock	01942 714103
Preston	01772 698811
Widnes	0151 423 8601

## KELTRUCK

Burton-on-Trent	01283 510011
Caldicot	01291 431715
Cardiff	02920 224671

Cheltenham	01242 252140
Coventry	02476 644664
Cross Hands	01269 844855
Droitwich	01905 777060
Groby	01530 243133
Hereford	01432 803540
Lutterworth	01455 550740
Newark	01636 700203
Nottingham	0115 986 5121
Sutton-in-Ashfield	01623 559559
Tamworth	01827 330100
West Bromwich	0121 525 7000
Willenhall	01902 637777
Worksop	01909 500595

## ROAD TRUCKS

Larne	028 2827 9611
Omagh	028 8225 9198

## TRUCKEAST

Corby	01536 443883
Crick	01788 823930
Ely	01353 666503
Felixstowe	01394 676625
King's Lynn	01553 771877
Milton Keynes	01908 242448
Northampton	01604 874747
Norwich	01603 748995
Peterborough	01733 555233
Stowmarket	01449 613553
Thetford	01842 763400
Wellingborough	01933 303303
Witham	01376 503003

## PIP BAYLEY'S

Bedford	01767 641111
---------	--------------

## WEST PENNINE TRUCKS

Knighton	01547 528600
Middleton	0161 653 9700
Oswestry	01691 671500
Stoke-on-Trent	01782 577955
Telford	01952 587222
Trafford Park	0161 877 7708

## GRAHAM COMMERCIALS

Carlisle	01228 529149
----------	--------------

## S. J. BARGH SALES & SERVICE

Lancaster	01524 770439
-----------	--------------

## GRANCO LTD

Newry	028 30821115
-------	--------------



# CONTENTS

BRANCH LOCATOR	02
<b>VRS LUBRICATION</b>	05
VRS ENGINE OILS	06
VRS GEAR/TRANSMISSION OILS	08
VRS GREASES	09
<b>FILTRATION</b>	12
DAF	14
IVECO	16
MAN	18
MERCEDES	20
RENAULT	22
VOLVO	24
THERMO KING	26
CARRIER	28



Welcome to the first edition of the VRS Lubrication and Filtration catalogue. Inside, you'll find a comprehensive range of All Makes Oils, Lubricants and Filtration products – now available to order.

## VRS OILS AND LUBRICANTS RANGE

VRS offers an innovative range of superior quality OEM approved heavy duty diesel engine oils. Suitable for previous and current generation diesel engines, including those that utilise after-treatment devices. The range provides maximum rationalisation potential in mixed fleets where a number of manufacturers, models and engine technologies are being used.

Working continuously to overcome the demands of the world's major commercial vehicle OEM's ensures that our manufacturer approved products maximise vehicle performance, service life and reliability. These include trucks, coaches and buses utilising previous and current technologies. With ever increasing complexity of after-treatment devices (particulate filters and catalysts) our products ensure engines comply with the very latest emissions legislation, whilst utilising new base fluid and additive technology to provide major advances in fuel economy.

All of these products are supplied through the Scania UK network, and all come with the associated benefits, including high product availability, parts delivery service, and a comprehensive parts warranty.

VRS offers a market-leading range of all-makes truck and trailer parts, lubricants, chemicals and workshop consumables, all developed by Scania and all available through its UK Dealer Network. With such an extensive range in one place, you can save time, effort and money every time you order.

Contact your nearest Scania branch or visit our website to find out more.

[www.vehiclereLATEDservices.co.uk](http://www.vehiclereLATEDservices.co.uk)



VRS OILS	5L	20/25L	205L	IBC 1000L	Bulk 700L*
ENGINE OIL 15W-40	CO21540005	CO21540020	CO21540205	CO21540102	LB21540101
ENGINE OIL ADVANCED 10W-40	CO21042005	CO21042020	CO21042205	CO21042102	LB21042101
ENGINE OIL PREMIUM 10W-40	CO21041005	CO21041020	CO21041205	CO21041102	LB21041101
ENGINE OIL 10W-40	CO21040005	CO21040020	CO21040205	CO21040102	LB21040101
ENGINE OIL ADVANCED 10W-30	N/A	CO21550025	CO21550205	CO21550102	LB21550101
ENGINE OIL ADVANCED 5W-30	N/A	CO21530025	CO21530205	CO21530102	LB21530101
ENGINE OIL LCV 5W30	N/A	CO20530025	CO20530205	CO20530102	LB20530101
GEAR OIL EP 85W-140 GL5	N/A	CO28514020	CO28514205	CO28514102	LB28514101
GEAR OIL EP 80W-90 GL5	N/A	CO28090020	CO28090205	CO28090102	LB28090101
GEAR OIL EP 75W-90 FS	N/A	CO27590020	CO27590205	CO27590102	LB27590101
GEAR OIL EP 75W-80 VTF	N/A	CO27580020	CO27580205	CO27580102	LB27580101
TRANSMISSION OIL MULTI USE ATF	N/A	CO20003020	CO20003205	CO20003102	LB20003101
HYDRAULIC OIL T46	N/A	CO20046020	CO20046205	CO20046102	LB20046101
HYDRAULIC OIL T32	N/A	CO20032020	CO20032205	CO20032102	LB20032101

\*Minimum quantity 700L

## VRS ENGINE OILS

### ENGINE OIL 15W-40

Advanced technology heavy duty diesel engine oil, incorporating the latest additive chemistry to meet and exceed current global and OEM specifications.

#### FEATURES

Improved protection against the effects of biofuel

- Outstanding Soot Handling
- Enhanced Sludge Dispersancy
- High levels of Piston Cleanliness
- Improved Anti-wear protection

#### PERFORMANCE LEVELS

ACEA E7, API CI-4+/SL, Caterpillar ECF-1, ECF-2, Cummins CES 20071 / 72, Cummins CES 20076 / 77 / 78, Global DHD-1, MB 228.3, MAN M3275, MACK EO-M Plus, RVI RLD2, MTU Type 2, Volvo VDS-3, Allison C4 quality.

Has demonstrated performance against JASO DH-1.

### ENGINE OIL ADVANCED 10W-40

A top tier heavy duty diesel specific engine oil that has been designed to meet the necessary chemical limits required to maintain the efficiency of exhaust after-treatment devices, especially DPF's (diesel particulate filters) and SCR / EGR NOx reduction systems.

#### PERFORMANCE LEVELS

ACEA E6/E7/E9, API CJ-4, MB 228.51, MAN M3477, MAN M3271-1, MTU category 3.1/ category 2.1, Volvo VDS-4, Renault Truck RLD-2, Renault Truck RLD-3, Mack EO-O Premium Plus, Mack EO-N Premium Plus, Cummins CES 20081, CAT ECF-3, Deutz DQC IV-10 LA, Detroit Diesel 93K218 JASO DH-2, Scania LA.

### ENGINE OIL PREMIUM 10W-40

A low SAPS (Sulphated Ash, Phosphorus and Sulphur) synthetic heavy duty diesel specific engine oil.

#### PERFORMANCE LEVELS

ACEA E6/E7, MAN M3477, MB 228.51, MTU Type 3.1, Volvo VDS-3, DAF, Renault Trucks RXD, Deutz DQC IV-10 LA.

### ENGINE OIL 10W-40

Semi-synthetic high performance diesel engine oil, formulated to meet the demands of Euro V and certain Euro VI compliant engines.

#### FEATURES

Improved protection against the effects of biofuel

- After-treatment device compatibility
- High level of piston and turbocharger cleanliness
- Outstanding cold start performance
- Extended oil drain compatibility

#### PERFORMANCE LEVELS

API CF, ACEA E4/E7, Scania LDF-3, Volvo VDS-3, Mercedes-Benz 228.5, MAN M3277, MTU DDC Type 3, Cummins CES 20072, Renault Trucks RXD / RLD-2, DAF Extended Drain, Deutz DQCIII-10, Voith Class A.

### ENGINE OIL ADVANCED 10W-30

Developed for use in diesel engines fitted with EGR, Adblue NOx reduction systems, diesel oxidation catalysts (DOC) and DPFs. This lubricant has been formulated to cope with increased levels of bio-fuel and is effect in the engine and can be used where any of the performance levels shown below are specified.

#### PERFORMANCE LEVELS

API CK-4/CJ-4/SN, ACEA E7/E9, CAT ECF-3, Volvo VDS 4.5 Mercedes-Benz 228.31 Renault VI RLD-4, MTU Type 2.1, Cummins CES 20086, Mack EO-S 4.5, Deutz DQC III-10 LA, Ford 171-F1.

### ENGINE OIL ADVANCED 5W-30

Designed to maintain the efficiency of exhaust gas after-treatment devices, including: DPF's, Adblue / EGR NOx reduction systems, diesel oxidation catalysts (DOCs) and Adblue Slip-Catalysts. For use in engines complying with Euro IV, V and VI emission legislation, where an oil of this quality is specified.

#### PERFORMANCE LEVELS

ACEA E4 / E6 / E7 / E9, API CJ-4, MTU Category 3.1, Scania LDF-4, MAN M3677, MB 228.51, Volvo VDS-4, Mack EO-O Premium Plus, Renault VI RLD-3.

### ENGINE OIL LCV 5W-30

A synthetic based technology engine oil formulated to reduce wear on critical valve-train components in multi-valve engines, including camshafts and hydraulic cam-followers. Recommended for the petrol and diesel engines fitted in passenger car and light commercial vehicles, including turbo and supercharged versions requiring a low viscosity 5W/30 oil of this specification.

#### PERFORMANCE LEVELS

API SL/CF, ACEA A5/B5, Ford WSS-M2C913-D, STJLR.03.5003, RN0700.



## VRS GEAR/TRANSMISSION OILS

### GEAR OIL EP 80W-90 GL5

### GEAR OIL EP 85W-140 GL5

Mineral oil based lubricants formulated for use in a wide range of automotive, plant, agricultural and industrial transmission systems. These grades have a high level of extreme pressure (EP) additive that provides effective gear protection over a range of temperatures and shock load conditions.

#### PERFORMANCE LEVELS

80W-90: ZF TE-ML 05A/12E/16B/17B/19B/21A, API GL5.  
85W-140: ZF TE-ML 05A/12E/16D/21A, API GL5.

### GEAR OIL EP 75W-80 VTF

A fully synthetic high performance transmission fluid, developed for use in all ZF manual and automated manual transmission (AMT) systems. The product not only offers a high level of component protection under a wide range of operating conditions and loads, but improved gear shift and improvements in fuel economy.

#### PERFORMANCE LEVELS

API GL-4, Renault (In accordance with Renault Note Technique B0032/2 Annex 3), MAN 341 Type E3, Z-4, Volvo 97307, ZF TE ML 01L, 02L, 08, 13, 16K, 24A.

### GEAR OIL EP 75W-90 FS

A synthetic high performance gear oil that has excellent extreme pressure (EP) performance and load carrying ability, as well as providing rust and corrosion protection to transmission components. This grade not only has outstanding low temperature fluidity, eliminating cold start gear selection problems (cold baulking), but can also cope with highly stressed gearboxes running at high temperatures.

#### PERFORMANCE LEVELS

API GL4, API GL5, MAN 342 Type M.

### TRANSMISSION OIL MULTI USE ATF

A highly versatile transmission fluid that allows for rationalisation whilst providing high levels of component protection and system efficiency. The product has been developed to accommodate the demands of the global market, particularly in terms of reduced emissions and extended drain intervals. Transmission systems are developing that have lower unit weights, with smoother, faster shift performance.

#### PERFORMANCE LEVELS

General Motors DEXRON® IIIH, Ford MERCON® / MERCON V®, MAN 339 Type V-1, V-2, Z-1, Z-2, Z-3, MB 236.6, Voith H.55.6335 / H.55.6336, ZF TE-ML 04D, 14B, 16C, 17C, Allison C-4 / TES-389 / TES-295, Volvo 97340 / Volvo Transmission Oil 97341:029, Caterpillar TO-2, Chrysler ATF + 4.

## VRS GREASES

### MULTI PURPOSE GREASE EP2

Premium quality multi purpose greases for use in all anti-friction and plain bearings subjected to high shock load and vibration conditions. They are used extensively for applications throughout industry and the automotive sector. Particularly suited for the lubrication of construction and mining equipment such as bulldozers, scrapers, loading shovel and all off highway trucks where greased components are subjected to continuous heavy loads and shock loads. Multi purpose grease EP2 can be applied by gun or used in centralised systems, capable of pumping the appropriate NGLI grade.

### 5TH WHEEL GREASE

Manufactured from a Calcium soap base and highly refined mineral oil, with added graphite to provide boundary lubrication and protection against seizure in conditions when ordinary greases would fail. Also included in this grease are additives to prevent corrosion, rust and oxidation. Additionally, this grease shows excellent resistance to severe mechanical working. 5th Wheel Grease has been specially formulated for use on fifth wheel plates. It can also be used for heavy duty applications in industrial equipment, trucks and construction plant such as bulldozers, scrapers, loading shovels and dump trucks where a graphited grease is recommended. 5th Wheel Grease is suitable for all plain bearing locks, latches and fasteners, cables and springs. This calcium based graphited grease will protect against shock loads and mechanical wear even in very wet conditions. It is particularly effective where there are extremely heavy loads but movement is small or intermittent and where fretting corrosion is a problem.

### SEMI-FLUID GREASE 000

Semi fluid 000 grease has been designed for centralised lubrication systems. It is also suitable for anti-friction and plain bearings subjected to high load conditions and gearboxes designed to operate with a semi-fluid grease. Meets the requirements of Interlube, Mecafluid, Vogel, MAN and Daimler Benz for use in their centralised chassis lubricators.

### COMPLEX GREASE EP2

Premium quality multi purpose lithium complex grease for lubricating all anti-friction and plain bearings for use in industrial and automotive applications. This highly adhesive grease has shown exceptional performance providing extended lubrication intervals, even under arduous conditions and a wide operational temperature range. Complex EP2 has been developed for use in wheel and other bearings and as a multipurpose grease for cars, vans, trucks, buses, coaches and construction plant such as bulldozers, scrapers, loading shovels and dump trucks where it will give outstanding performance. It is also recommended for use in industrial equipment operating at high temperatures.

## VRS HYDRAULIC OILS

### HYDRAULIC OIL T32

### HYDRAULIC OIL T46

Premium grade mineral based hydraulic oils with good anti-wear properties providing protection in the most demanding of systems. They are rust, corrosion and oxidation inhibited. Additionally, they contain an effective anti-foam additive to control foam and facilitate the rapid release of entrained air, therefore maximising hydraulic system efficiency. Recommended for both Industrial and off highway hydraulic systems. Other applications include: machining centre headstocks, centralised lubrication systems, power steering, compressors, suspension units, tipping gear, airline lubricators, jacks, PTOs, etc.

#### PERFORMANCE LEVELS


DIN 51524 Parts 1 and 2 (DIN 51525),  
Sperry Vickers I-286-S, M-2950-S,  
Denison HF-2, Cincinnati Milacron P-68, P-69, P-70.

GREASES	400g	12.5kg	50kg	180kg
MULTI PURPOSE GREASE EP2	CO20010400	CO20010020	CO20010050	CO20010180
COMPLEX GREASE EP2	CO20020400	CO20020020	CO20020050	CO20020180
5TH WHEEL GREASE	N/A	CO20030020	CO20030050	CO20030180
SEMI-FLUID GREASE 000	N/A	CO20040020	CO20040050	CO20040180

# ALL MAKES PARTS, ALL IN ONE PLACE

SAVING YOU TIME AND MONEY

Our extensive range of all makes parts for truck, trailer and consumables is conveniently available all under one roof. We take the stress out of sourcing the right part, first time, on time.



Available exclusively through your  
local Scania branch or visit:  
[www.vehiclerelatedservices.co.uk](http://www.vehiclerelatedservices.co.uk)

**VRS**  
VEHICLE RELATED SERVICES



Cummins Filtration is a world leader in OEM and aftermarket filtration solutions for diesel engines, transmissions and industrial applications, including engines ranging from 3 to above 100 litres in displacement that are compatible with Cummins and a wide range of other engine makes. It owns the well recognised brand of Fleetguard®.

Today, VRS supplies Fleetguard Filters because they comply with the highest quality standards, exceed OEM specifications, and assist customers to reduce maintenance cost. Furthermore, Fleetguard is the only filter manufacturer that designs and manufactures media. This means all aspects of the filtration design and manufacturing process can be controlled for quality.



## NanoNet®

### THE NEXT GENERATION OF LUBE FILTRATION


With advanced research and media manufacturing capabilities, Cummins Filtration has developed nanofiber media for Fleetguard lube filters.

- Protects your injectors better throughout the filter's service interval
- Is not affected by water in fuel like conventional cellulose filters
- Traps and retains contaminants even under real world vibration and flow surge
- Can extend service intervals, maintain high efficiency, reduce downtime and maintenance costs.

NanoNet advanced media provides the best known defence from contaminants in fuel to help keep your fuel injection equipment healthy.

Maintaining a clean fuel system is critical in order to meet increasingly tough standards for modern diesel engines.

### Performance Under Pressure




## NanoForce®









### BEAT THE DUST WITH NANOFORCE MEDIA









NanoForce filters combat tiny particles at a submicron level, removing and retaining the particles before they reach engine components. NanoForce nanofibers are significantly smaller in diameter than a coarse human hair. The nanofibers work together with the base cellulose media to provide the most advanced air filtration engine protection available in the industry today.

### NANOFORCE FEATURES

- Nanofiber filter media provides the highest possible filtration efficiency without compromising filter life
- Pleat geometry, spacing and stabilisation yields the optimal filter performance for the equipment application
- Proven materials, handles and seals ensure that filter life capability is supported by a filter structure that will go the distance
- 2X longer service life achieved versus conventional air filter
- 3X the engine protection versus conventional filters, with quantifiable reduction in wear particles.



DAF								
DAF	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>65CF (1998-2000)</b>	NS Series	AF25704 AF25437 or AF25623 (F)	LF3790	FF5298	HF6162			AF27853
<b>95XF</b>	XE-C Series	AF25437 or AF25623 (F)	LF3737 or LF3773 CS41001	FF5366 FF73100 FS19769	HF6162	HF7999 or HF35383	AF25840	AF27817 AD27747
<b>CF65 (2001&gt;)</b>	CE Type	AF25976 (F)	LF16015	FF5485 FS19584 FS19532 (Opt.)	HF6162		AF26139 or AF26145 or AF26670 (C)	AF27853
<b>CF65 (2006&gt;)</b>	GR Type	AF27878 or AF4184 (F) AS2474	LF16015	FF5485 FS19584 FS19532 (Opt.)	HF6162		AF26145 or AF26670 (C)	AF27853 3967874 (U)
<b>CF75 (2001&gt;)</b>	PE Series	AF25976 (F) or AF25623 (F) AF25975 (F)	LF16042 or LF16232 CS41001	FF5635 or FF5510 FS19532 (Opt.) FS19769	HF6162	HF7999 or HF35383	AF26139 or AF26145 or AF26670 (C)	AF27853
<b>CF75 (2006&gt;) (EURO 4/5/EEV)</b>	PR Series	AF27972 (F) or AF25976 (F) AS2474	LF16042 or LF16232	FF5695 FS19532 (Opt.) FS19769	HF6162	HF7999 or HF35383	AF26145 or AF26670 (C)	AF27853 3967874 (U)
<b>CF85 (2001&gt;)</b>	XE Type	AF4184 (F) or AF25623 (F)	LF16042 or LF16232 CS41001	FF5635 or FF5510 FS19769 FS19532 (Opt.)	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26145 or AF26670 (C)	AF27853
<b>CF85 (2006&gt;) (EURO 4/5/EEV)</b>	MX Series	AF4184 (F) AS2474	LF16233 CS41044	FF5695 FS19532 (Opt.) FS19769	HF6162 HF35489 (Opt.)		AF26145 or AF26670 (C)	AF27853 3967874 (U)
<b>CF85 (2013&gt;)</b>	MX11 (EURO6)	AF4184 (F) or AF27972 (F) (P)	LF17527	FS19769	HF6162 HF35489 (Opt.)		AF26145 (>2015) or AF26670 (>2015) (C)	UF101 (U)
<b>CF85 (2013&gt;)</b>	MX13 (EURO6)	AF4184 (F)	LF16233 CS41044	FS19769	HF6162 HF35489 (Opt.)		AF26145 (>2015) or AF26670 (>2015) (C)	UF101 (U)
<b>LF45 &amp; LF55 (2001&gt;)</b>	CE Type	AF27712 or AF27713 AF25872 or AF25873	LF16015	FF5485 FS19584	HF6162		AF26463 AF55886	AF27853

DAF								
DAF	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>LF45 &amp; LF55 (2006&gt;)</b>	FR & GR Type	AF27878 AS2474	LF16015	FF5485 or FF5421 FS19689 FS1067	HF6162		AF26463 AF55886	AF27853 3967874 (U)
<b>LF45 &amp; LF55 (2014&gt;)</b>	PX5 & PX7		LF16015	FS1067	HF6162		AF55886	AF27853 UF101 (U)
<b>XF95 (2002&gt;)</b>	XE Type	AF25623 (F)	LF16042 or LF16232 CS41001	FF5635 or FF5510 FS19532 (Opt.) FS19769	HF6162		AF25840	AF27853
<b>XF105 (2006&gt;) (EURO 4/5/EEV)</b>	MX Series	AF27689 (>2011) AS2474	LF16233 CS41044	FF5695 FS19532 (Opt.) FS19769	HF6162 HF35489 (Opt.)		AF25840	3967874 (U)
<b>XF105 (2013&gt;)</b>	MX11 (EURO6)		LF17527	FS19769	HF6162 HF35489 (Opt.)		AF25840 (Up to 2015) AF55841 (From 2015)	UF101 (U)
<b>XF105 (2013&gt;)</b>	MX13 (EURO6)		LF16233 CS41044	FS19769	HF6162 HF35489 (Opt.)		AF25840 (Up to 2015) AF55841 (From 2015)	UF101 (U)

### CROSS REFERENCES









DAF	FLEETGUARD
1322259	AF26139
1327672	LF3773
1345335	FF5366
1353115	AF25623 (F)
1362124	AF26145
1327672	LF3773
1345335	FF5366
1353115	AF25623 (F)
1362124	AF26145
1397765	LF16232
1362124	AF26145
1327672	LF3773
1345335	FF5366
1353115	AF25623 (F)
1362124	AF26145
1433690	AF25872
1362124	AF26145









DAF	FLEETGUARD
1437070	FS19584
1450184	FF5635
1506635	AD27747
1600428	AF26463
1618993	FS19689
1638054	AF27689 (F)
1643070	LF16233
1643072	CS41044
1643080	FF5695
1657522	AF25976 (F)
1657523	AF4184 (F)
1667999	AF27712
1668000	AF27713 (F)
1674458	3967874
1679397	AF27878 (F)
1683353	FF73100
1679397	AF27878 (F)

DAF	FLEETGUARD
1705122	FF5421
1782420	AD27747
1855687	HF35489
1928868	LF17527
1933740	AF4184 (F)
1933741	AF27972 (F)
1950785	AF55886
1953596	AF55841
229348	HF6162
691954	HF7999
699387	AF27817













IVECO								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>EUROCARGO I (&lt;2003)</b>	TECTOR	AF25875 (F) or AF26199 (F)	LF16015	FF5485 FS1254				AF27817 AS2495 AD27747
<b>EUROCARGO II (2003-2008)</b>	TECTOR 4 & 6	AF25875 (F) or AF25876 (F)	LF16015	FF5485 FS1254 or FS19821				AF27817 AS2495 3986767 (U) 3967874 (U) AD27747
<b>EUROCARGO III (2008&gt;)</b>	TECTOR 4 & 6 F4A		LF16015	FF5485				AF27817 3986767 (U) 3967874 (U) AD27747
<b>EUROCARGO III (2008&gt;)</b>	TECTOR 7 F4A (EURO6)		LF16015	FF5421 or FF5790 (Biodiesel till B100) FS19821				AF27817 UF101 (U) AD27747
<b>EUROCARGO IV (2015&gt;)</b>	TECTOR 5 F4A FE411 & TECTO 7 F4A R FE611		LF16015	FF5421 or FF5790 (Biodiesel till B100) FS19821				AF27817 UF101 (U)
<b>EUROTECH (440E40) (2000-2002)</b>	CURSOR 13	AF26325 (F)	LF3977 (x2)	FF5471 (x2) (Up-grade FF5861) FS1254	HF6162	HF7999 or HF35383	AF25972	AF25895 AF27817 AD27747
<b>EUROTRAKKER (1998-2004)</b>	8210.42	AF4503 or AF26325 (F) or AF26279 (F)	LF3594 (x2)	FF5284 (x2) FS1254	HF6162		AF25972	AF27817 WF2053 AD27747
<b>EUROTRAKKER (2001-2004)</b>	CURSOR 13	AF25235 or AF26296 (F) or AF26204 (P) AF26245 (S)	LF3977 (x2)	FF5471 (Upgrade FF5861) FS1254	HF6162	HF7999 or HF35383	AF25972	AF27817 AF25895 AD27747
<b>DAILY III (40-14) TURBO HPT (2.3 HPT) (2005-2006)</b>	F1A	AF25557	LF3940 (Up to engine 240403) or LF17497 (From engine 240404)	FS19781	HF6162		AF26213	
<b>DAILY III (40-14) TURBO HPI (3.0 HPI) (2004-2006)</b>	F1CE0 - 481B	AF25557	LF16172	FS19781	HF6162		AF26213	

IVECO								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>DAILY IV (35C14) 3.0 HPI EEV (2009&gt;)</b>	F1C - 3481LC	AF25557 (>2011)	LF17472	FF271 FS19948 (>2011)			AF55713	
<b>STRALIS/ ECOSTRALIS/STRALIS HI-ROAD/ HI-STREET/ HI-WAY (2013&gt;)</b>	CURSOR 9 & 11	AF26241 (Hi-Road+ Hi-Street) AF25154 (Hi-Way Serie)	LF17547	FF5857 (Cursor 9) FF5858 (Cursor 11)	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26146 or AF55714 (C)	AD27747 AF27817 3986767 (U) UF101 (U)
<b>STRALIS/ ECOS-TRALIS/ STRALIS HI-ROAD/ HI-STREET/ HI-WAY (2002&gt;) 480</b>	CURSOR 13	AF26296 (F) AF26241 (F) (AD, AS, AT, Hi-Road, Hi-Street) AF25154 (Hi-Way Serie)	LF3977 (x2) (>2007) LF17546 (Euro4/5/EEV) LF17547 (Euro6)	FF5471 (Upgrade FF5861) (FF5471/EEV) FF5858 (Euro 6) FS1254 FS19950	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26146 or AF55714 (C)	AF25895 AF27817 3986767 (U) 3967874 (U) AD27747
<b>TRAKKER (2013&gt;)</b>	CURSOR 9	AF26241 (F) AF26296 (F)	LF17547	FF5857	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26146 or AF55714 (C)	AF27817 UF101 (U) AD27747
<b>TRAKKER (2004&gt;)</b>	CURSOR 8 & 13	AF26241 (F) AF26296 (F)	LF17547 (Up to engine S/N 24950) (Euro 6) LF3977 (x2) (>2007) LF17546 (2007->) (Euro 4/5/EEV)	FF5457 or FF5471 (Upgrade FF5861) FS19950 FS19821 FF5858 (Euro 6) (Cursor 13)	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26146 or AF55714 (C)	AF25895 AF27817 3986767 (U) 3967874 (U) UF101 (Euro 6) AD27747

## CROSS REFERENCES

IVECO	FLEETGUARD	IVECO	FLEETGUARD	IVECO	FLEETGUARD
1907695	AF25235	2995811	LF17497	500339085	AF25895
2966261	HF6162	3802821	AF55713	504024890	AF26146
2991585	FF5457	41214149	AF26245	504086268	FS19950
2992188	LF3940	41272124	AF26241 (F)	504170771	FF271
2992241	FF5485	41272212	AF26279 (F)	504292579	FF5790
2992242	LF16015	41272515	AF26296 (F)	5801382289	AD27747
2992300	FS19781	41272534	AF26325 (F)	5801415504	LF17547
2992374	AF26204 (F)	42471161	AF25875 (F)	5801439821	FF5858
2992388	AF26199	42471166	AF25876 (F)	5801592277	LF17546
2992447	AS2495	42535049	HF7999	5801667204	UF101
2992544	LF3977	42553548	3967874	8190948	AF27817
2992662	FS19821	42555920	FS19948		
2994048	FF5471 or FF5861	42561605	3986767		
2994583	AF55714	500055322	AD27747		
2995561	LF16172	500314688	AF26213		
2995655	LF17472	500387947	AF25972		



















MAN								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>FE Series (F2000 Evolution) (2000&gt;)</b>	MAN D2866/D2876	AF25264 (P) and AF25615 (S)	LF3867	FS19605 FS19599 (x2) FS1083	HF6162	HF7999 or HF35383	AF25630	AF27817 AD27747
<b>LE (2000-2007)</b>	MAN D0824/D0836	AF25496	LF3506	FF73100 FS19599 (x2) FS1082 or FS20054	HF6162		AF26231 or AF25630	AF27817 AD27747
<b>L2000 (2001&gt;)</b>	MAN D0836/D0834	AF25496	LF3506	FF73100 FS19599 FS1082 or FS20054	HF6162		AF26231	AF27817 AD27747
<b>TGA (2002&gt;)</b>	MAN D0836	AF25894 (P) and AF25896 (S)	LF3769	FF5627 or FF5481 FF5775 FS19605 or FS1083	HF6162 HF6161 (Opt.)	HF7999 or HF35383	AF26671 or AF55719 (C)	AF27817 UF101 (U) AD27747
<b>TGA (2004&gt;)</b>	MAN D2066	AF25894 (P) and AF25896 (S)	LF17056	FF5629 FF73100 FS19605 or FS1083 FF5844	HF6162 HF6161 (Opt.)	HF7999 or HF35383	AF26671 or AF55719 (C)	AD27747 UF102 UF103 AD27747
<b>TGA (2000-2004)</b>	MAN D2866/D2876	AF25894 (P) and AF25896 (S)	LF3867	FF5627 or FF5481 FF5775 FS19605 or FS1083	HF6162 HF6161 (Opt.)	HF7999 or HF35383	AF26671 or AF55719 (C)	AD27747
<b>TG660A (2002&gt;)</b>	MAN D2840	AF26246 (x2) or AF25894 (P) and AF25896 (S)	LF3754 (x2)	FF5481 FF5775 FS19605 or FS1083	HF6162 HF6161 (Opt.)	HF7999 or HF35383	AF26671 or AF55719 (C)	AD27747
<b>TGL &amp; TGM (2005&gt;)</b>	MAN D0834/D0836	AF26262 or AF26261 or AF26327 AF26327 AF25162 (2012>)	LF3769	FF5629 FF73100 FS1082 or FS20054	HF6162		AF26671 or AF55719 (C)	UF102 UF103 AD27747
<b>TGX &amp; TGS (2007&gt;)</b>	MAN D2066/D2676	AF25894 (P) and AF25896 (S)	LF17056 (EURO 4/5/EEV) LF17529 (Euro 6)	FF5629 FF73100 FS1083	HF6162 HF35489 (Opt.)	HF7999 or HF35383	AF26671 or AF55719 (C)	UF102 UF103 AD27747
<b>TGX (2014&gt;)</b>	MAN D3876	AF25894 (P) and AF25896 (S) (>2016)	LF17534	FF73100 FF5863	HF6162 HF35489 (Opt.)	HF7999 or HF35383 (>2016)	AF26671 or AF55719 (C)	UF103 AD27747

## CROSS REFERENCES

MAN	FLEETGUARD	MAN	FLEETGUARD	MAN	FLEETGUARD
51055010009	LF17529	81084050015	AF25496	81521550042	AD27747
51055017161	LF3506	81084050017	AF25896	81521086025	AD27747
51055040096	LF3754	81084050018	AF26327	81619100011	AF25630
51055040098	LF3867	81084050021	AF25894	81619100018	AF26671
51055040105	LF3769	81084050022	AF26261	81619100019	AF55719
51055040108	LF17056	81084050023	AF26262	82521020013	AF27817
51125030042	FF5481	81084050031	AF25162	85125010002	FS20054
51125030043	FF5775	81125030075	FS19599	85125010005	FS1082
51125030048	FF5627	81125030086	FS19605	85619500025	AF26231
51125030063	FF5629	81125030085	FS1083		
51125030081	FF5844	81154030000	UF102		
51125030086	FF5863	81154036089	UF103		
81083040084	AF25615	81332150002	HF7999		
81083040097	AF25264	81332150014	HF7999		
81083040100	AF26246	81473016005	HF6162		



MERCEDES								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>ACTROS I (&lt;2003)</b>	OM541LA	AF25428 or AF25427 or AF25476 or AF27816 (F)	LF3829	FF5405 FF73100 FS19914	HF6162 HF35489 (Opt. ZF)		AF25695 or AF26355 or AF55722 AF55702 (C) AF27951 (C)	AF27817 AD27747
<b>ACTROS I MP2/MP3 (+ BlueTec 4/5) (2003-&gt;)</b>	OM541LA	AF26242 (F) (x2) and AF26678 (x2) or AF27816 (F) or AF26165 or AF25022	LF3829 LK49001 (Opt.)	FF5405 FS19914 or FS19737 FF73100	HF6162 HF35489 (Opt. ZF)		AF25695 or AF26355 or AF55722 AF55702 (C) AF27951 (C)	UF104 AD27747
<b>ACTROS II MP4 (BlueTec 5/6/ EEV) (2011-&gt;), ANTOS (2012-&gt;) (BlueTec 5/6/EEV), AROCS (2013-&gt;) (BlueTec 5/6/EEV)</b>	OM936LA OM470LA		LF4008 (OM936LA) LF17548 (OM470LA)	FF5847 (OM936LA) FK13923 (OM470LA) FS20071 FS20107 (OM470LA)	HF35489 (Opt. ZF) HF6162		AF55765 or AF55759 (C) or AF55760 or AF55709 (Opt.)	UF106 AD27747
<b>ACTROS II MP4 (BlueTec 5/6/ EEV) (2011-&gt;), ANTOS (BlueTec 5/6/ EEV) (2012-&gt;), AROCS (BlueTec 5/6/ EEV) (2013-&gt;)</b>	OM471LA OM473LA		LF17511	FK13924 (OM-471LA/ OM473LA) FS20071 FS20109 (OM-471LA/ OM473LA)	HF35489 (Opt. ZF) HF6162		AF55765 or AF55759 (C) or AF55760 or AF55709 (Opt.)	UF106 AD27747
<b>ATEGO I (&lt;2004)</b>	OM904L AOM906LA	AF25653	LF3827 (OM904LA) LF3914 (OM906LA)	FF5380 FS19914 or FS19737 FF5775	HF6162		AF26144 or AF55723 AF55873 (Active Carbon) AF55864 (Active Carbon)	AF27817 AD27747
<b>ATEGO II (2004-&gt;) (+ BlueTec 4/5/EEV)</b>	OM906LA	AF25653	LF3914	FF5380 FF5775 FS19914 or FS19737	HF6162		AF26144 or AF55723 AF55873 (Active Carbon)	

MERCEDES								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>ATEGO II (2004-&gt;) (+ BlueTec 4/5/EEV)</b>	OM904LA	AF25653	LF3827	FF5380 FF5775 FS19914 or FS19737	HF6162		AF26144 or AF55723 AF55873 (Active Carbon)	AD27747 UF104
<b>ATEGO III (2013-&gt;)</b>	OM934LA OM936LA	AF25653	LF4008 (OM936LA) LF17536 (OM934LA)	FF5847 FS20071	HF6162		AF26144 or AF55723 AF55873 (Active Carbon)	AD27747 UF106
<b>AXOR II (2004-&gt;) (+ BlueTec 4/5)</b>	OM457LA	AF26242 (P) (F) or AF26165 or AF27816 (F)	LF16046	FF5405 FF73100 FS19914 or FS19737	HF6162		AF26174 AF55864 (Active Carbon)	AD27747
<b>AXOR II (2004-&gt;) (+ BlueTec 4/5/EEV)</b>	OM906LA	AF25653 or AF27816 (F)	LF3914	FF5775 FF5380 FS19914 or FS19737	HF6162		AF26174 AF55864 (Active Carbon)	AD27747 UF104
<b>SPRINTER 616 CDI (2001-2006)</b>	OM612	AF25306 or AF25319	LF3997	FF5619 or FF5625 or FF5692		TF15074	AF25956 AF55729 (C)	









## CROSS REFERENCES









MERCEDES	FLEETGUARD
A0000902051	FF73100
A0001421089	UF106
A0004295795	AD27747
A0004295695	AD27747
A0004662904	HF35489
A0008301218	AF55722
A0008301518	AF27951
A0009303418	AF55702
A0008358947	AF26355
A0000901351	FF5775
A0011842225	HF6162
A0030947004	AF25022
A0030948304	AF25319
A0030949104	AF25427
A0030949604	AF25653
A0040940204	AF25476
A0040942404	AF26165
A0040942604	AF25306

MERCEDES	FLEETGUARD
A0040943304	AF25428
A0040943504	AF26242 (F)
A0040946604	AF27816
A1402770095	TF15074
A4700305852	FS20107
A4700905952	FK13923
A4701800109	LF17548
A4710900855	FK13924
A4730901451	FS20109
A5411800109	LK49001
A4571840125	LF16046
A5410920905	FF5405
A5411840325	LF3829
A6111800009	LF3997
A6120920001	FF5625
A6460920701	FF5692
A6680920201	FF5619
A9018300418	AF55729

MERCEDES	FLEETGUARD
A9018300518	AF25956
A9041800009	LF3827
A9061800009	LF3914
A9360900351	FF5847
A9361800009	LF4008
A9408350047	AF26174
A9408350147	AF55864
A9604770003	FS20071
A9608300018	AF55765
A9608300018	AF55759
A9738350147	AF26144
A9738350247	AF55723
A9738350347	AF55873











RENAULT								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>Magnum AE (1996-2000)</b>	MIDR	AF26244 (P)(F) or AF25634 (S)	LF4006 (x2) CS41000	FF5074 (x2) FF5167 (x2) or FF5425 (x2)	HF6162	HF7615	AF26658	
<b>Magnum AE DXi</b>	DXi12/13	AF26244 (P)(F) or AF25634 (S)	LF17503 (x2) LF17502	FF5507 or FF254 (long life) FS19735 or FS19966 or FS19920	HF6162 HF35489 (Opt.ZF)	HF35383 HF40014 HF35358 (Optidriver) HF35488 (Automatic gearbox Optidrive II+ Optidriver+)	AF26658	3986767 (U) UF101 (U)
<b>Premium DCi (2001-2006)</b>	DCi6 & DCi11	AF26244 (P) (F) & AF25634 (S) or AF25382 (F) & AF25439 (S)	LF4006 (x2) CS41005	FF5470 (x2) FS1083	HF6162 HF35489 (Opt.ZF)	HF35383 HF7615	AF26463 or AF26464	
<b>Premium DXi (2006-&gt;)</b>	DXi7	AF26244 (P) (F) & AF25634 (S) or AF26272 (F) & AF25439 (S)	LF16351	FF5769 FS19895 FF5820 (Fuel Tank Opt.)	HF6162	HF40014 HF35383	AF26464	3986767 (U)
<b>Premium DXi</b>	DXi11	AF26244 (P) (F) & AF25634 (S)	LF17503 (x2) LF17502	FF5507 or FF254 (Long life) FS19966 or FS19920 FF5820 (Fuel Tank Opt.)	HF6162 HF35489 (Opt.)	HF35383 HF35358 (Optidriver) HF35488 (Automatic gearbox Optidrive II+ Optidriver+)	AF26464	3986767 (U)
<b>Kerax (1997-2001)</b>	MIDR	AF26272 (P) (F) AF25439 (S)	LF4006 (x2) CS41000	FF5167 (x2) (*) or FF5425 (x2) (*)	HF6162		AF26463	
<b>Kerax DCi</b>	DCi11	AF26272 (F) AF25439 (S)	LF4006 (x2) CS41005	FF5470 (x2) FS1083	HF6162 HF35489 (Opt.ZF)		AF26463 (>2006) or AF26464 (2006->)	
<b>Kerax DXi</b>	DXi11	AF26272 (P) (F) AF25439 (S)	LF17503 (x2) LF17502	FS19966 or FS19920 or FS19949 FF5507 or FF254	HF6162 HF35489 (Opt.ZF)	HF35488 (Automatic gearbox Optidrive II+ Optidriver+)	AF26464	3986767 (U)
<b>Midlum I (2001-2006)</b>	DCi6	AF25065 (P) or AF26415 (P) or AF26244 (P)	LF4006	FF5470 (x2) FS19810	HF6162	HF35383	AF26463	AF27817









RENAULT								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>Midlum II (2006-&gt;)</b>	DXi5 DXi7	AF26415 (P) (F) or AF26244 (P) (F) & AF25634 (S)	LF16351	FF5769 FS19895	HF6162 HF35489 (Opt.ZF)		AF26464	3986767 (U)
<b>Mascott DCi (2001-2004)</b>	DCi	AF25797	LF3481	FF5135 FS19810	HF6162			
<b>Mascott DXi (2004-2010)</b>	DXi3	AF27833	LF16249	FS19951	HF6162			
<b>Access (2011-&gt;)</b>	DXi7	AF26124	LF16351	FF5769 FS19895				3986767 (U)
<b>C380/C430/C460 K380/K430/K460 T380/T430/T460 (2013-&gt;)</b>	DT111 Euro 6		LF17503 (x2) LF17502	FS20082	HF6162 HF35489 (Opt.)	HF29040	AF55762 AF55825 (C) AF55827	WF2096 UF101(U)
<b>C440/C480/C520 K440/K480/K520 T440/T480/T520 (2013-&gt;)</b>	DT113 Euro 6	AF27970 (P) (T Serie only)	LF17503 (x2) LF17502	FS20082	HF6162 HF35489 (Opt.)	HF29040	AF55762 AF55825 (C) AF55827	WF2096 UF101 (U)

### CROSS REFERENCES

RENAULT	FLEETGUARD	RENAULT	FLEETGUARD	RENAULT	FLEETGUARD
5001871595	HF6162	7420709459	LF17503	5001844054	AF26658
5010066304	AF25249M	7420754418	FS19949	5001846015	FS19810
5010230841	AF25333	7420779040	HF35488	5001850947	FF5135
5010230916	AF25382	7420796772	FF5769	5001855097	HF35383
5010269584	AF25439	7420796782	LF16351	5001858001	CS41005
5010315990	AF25898	7420851191	FS19895	5001858063	AF25895
5010317163	AF25065	7420972291	FF254	5001860111	FS19951
5010317187	AF25634	7420998346	FS19966	5001864856	FS1083
5010317300	AF25797	7420998349	FS19920	5001865723	AF26244
5010317658	AF27833	7421064484	FF5820	5001865724	AF26415
5010359706	FF5425	7421380472	FS19966	5001865725	AF26272
5010372044	HF7615	7421561278	LF17503	5001867491	AF26464
5010505337	FF5470	7421561284	LF17502	5001869773	LF16249
5010550600	LF4006	7421764968	FS20082		
7420541379	LF17502	7421700201	LF4006		
7420541381	FF5507	7422023120	HF29040		
7420541383	FS19735	7482379897	AF55827		
7420580233	HF35489	7485105048	HF35358		



VOLVO								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>FH16 (&lt;2003)</b>	D16A/B	AF25239 (P) & AF25317 (S)	LF17505 (x2) or LF17503 (x2) LF17502	FF5074 or FF42000	HF6162	HF6278 or LF3758	AF25305 or AF55712 (C)	WF2096
<b>FH16 (2003&gt;)</b>	D16E / D16C	AF26163M (P) or AF26472M (P) & AF26212 (S)	LF17503 (x2) LF17502	FF5507 or FF254 (long life) FS19735 or FS20053	HF6162	HF35358 HF35488 (Auto. gearb. I-Shift)	AF25305 or AF55712 (C)	WF2096 3986767 (U)
<b>FH16 (New Trucks) (2013&gt;)</b>	D16G	AF26163M (P) or AF26472M (P) & AF26212 (S)	LF17503 (x2) LF17502	FF254 FS19735 FS20053	HF6162 HF35489 (Opt.ZF)	HF29040 HF6553 HF35361	AF55762 AF55817 AF55825 (C)	WF2096 UF101 (U)
<b>FH13 (2009&gt;)</b>	D13C	AF27970	LF17503(x2) LF17502	FF5507 or FF254 (long life) FS19966 or FS19920 FF5820 (Fuel Tank Opt.)	HF6162 HF35489 (Opt.ZF)	HF35358 or HF35361 or HF6553 HF35488 (Auto. gearb. I-Shift) HF29040	AF25305 or AF55712 (C)	WF2096 3986767 (U) UF101 (U) (2011>)
<b>FH13 (New Trucks) (2013&gt;)</b>	D13C (EURO6)	AF27970 (P)	LF17503(x2) LF17502	FF254 FS19966 or FS19920 FS20082 (D13K/Euro6)	HF6162 HF35489 (Opt.ZF)	HF35358 or HF35361 or AF55712 (C)	AF55762 AF55817 AF55825 (C)	WF2096 UF101 (U)
<b>FH12 (2001-2005)</b>	D12D	AF25632 (P) & AF25317 (S)	LF17505 (x2) or LF17503 (x2) LF17502	FS19735 FF5507 or FF254 (long life)	HF6162	HF35358 or HF35361	AF25305 or AF55712 (C)	WF2096 3986767 (U)
<b>FM / FMX (2005&gt;)</b>	D13A D13B D13C	AF25632 (P) & AF25317 (S)	LF17503 (x2) LF17502	FF5507 or FF254 (long life) FS19735 FS19966 or FS19920	HF6162 HF35489 (Opt.ZF)	HF35358 or HF35361 or HF6553 HF35488 (Auto. gearb. I-Shift)	AF25305 or AF55712 (C)	WF2096 3986767 (U) UF101 (U) (2011>)
<b>FE III (2013&gt;)</b>	D8K	AF26415 (P) or AF26244 (P)			HF6162		AF26464	UF101 (U)
<b>FM / FMX (2005&gt;)</b>	D11C D9B	AF25631 (P) & AF26162 (S)	LF17503 (x2) LF17502	FF5507 or FF254 (long life) FS19735 FS19966 or FS19920	HF6162 HF35489 (Opt.ZF)	HF35361 or HF6553 HF35488 (Auto. gearb. I-Shift)	AF25305 or AF55712 (C)	WF2096 3986767 (U) UF101 (U) (2011>)
<b>FM9 (2001-2005)</b>	D9A	AF25631 (P) & AF26162 (S)	LF17505 (x2) or LF17503 (x2) LF17502	FF5507 or FF254 (long life) FS19734 or FS19551		HF35358 or HF35361 or HF6553	AF25305 or AF55712 (C)	WF2096
<b>FM7 (&gt;2002)</b>	D7A D7C	AF25631 (P) & AF26162 (S)	LF17505 or LF17503 LF17502	FF5272 FS19532	HF6162	HF35358 or HF35361 HF6553	AF25305 or AF55712 (C)	WF2096

VOLVO								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
<b>FL12 (1995-1998)</b>	D12A	AF4942 (P) & AF25084 (S)	LF17505 (x2) or LF17503 (x2) LF17502	FF5272	HF6162		AF4608	WF2096
<b>FL10 (1995-1998)</b>	D10A	AF25294 (P) & AF4558 (S)	LF17505 or LF17503 LF17502	FF42000 or FF5074 (x2)	HF6162	LF3758 HF6161	AF4608	WF2096
<b>FL I (2000-2006)</b>	D6A D6B		LF17505 LF17502	FF5272 FS19704 or FS19778			AF1774	
<b>FL II (2006&gt;)</b>	D7E D7F	AF26415 or AF26244 (P) (F) & AF25634 (S)	LF16351 FF5769 FS19895 FF5820 (Fuel Tank Opt.)				AF26464	3986767 (U)
<b>FE II (2006&gt;)</b>	D7E/F	AF26415 (P) or AF26272 (P) & AF25439 (S) or AF26244 (P) & AF25634 (S)	LF16351	FF5769 FS19895 FF5820 (Fuel Tank Opt.)	HF6162		AF26464	3986767 (U)
<b>FM/FMX II (2013&gt;)</b>	D11K / D13K Euro 6		LF17503 (x2) LF17502	FS20082	HF6162 HF35489 (Opt.)	HF29040	AF55762 AF55817 AF55825 (C)	WF2096 UF101 (U)









## CROSS REFERENCES

VOLVO	FLEETGUARD
6774452	AF1774
8143691	AF25305
8149064	AF25631
8149961	AF25632
8159975	FS19532
8193841	FF5272
82351184	AF55825
82354791	AF55817
85105048	HF35358
85108176	HF35361
1080918	AF4942
1080920	AF25084
1665908	AF25239
1665937	AF25317
20381204	FS19734
20386080	FS19704
20386081	FS19778
20409908	AF55712
20411815	AF26163M

VOLVO	FLEETGUARD
20411815	AF26472M
20411816	AF26212
20430751	FF5507
20450423	FS19551
20514654	FS19735
20559447	AF26464
20580233	HF35489
20732726	AF26244
20732728	AF25634
20779040	HF35488
20796775	FF5769
20796785	LF16351
20853583	FS19895
20879812	FS19920
21005832	FS20053
21064484	FF5820
21115483	AF27970
21333097	3986767
21380475	FS19966

VOLVO	FLEETGUARD
21707132	LF17502
21707133	LF17503
21764966	FS20082
21834205	AF27970
21879886	FF254
22023120	HF29040
3231396	HF6161
349619	HF6162
3517857	LF3758
3979928	AF26162
466634	LF17505
466987	FF5074
4775565	LF17502
4787362	LF17503



THERMO KING								
	ENGINE	AIR	OIL	FUEL	STEERING	TRANSMISSION	CABIN AIR	OTHER
AT11, AT12			LF3746	FF5276 + FF5275*				
Buspowerpack	TK486 or Isuzu 2.2	AH1189	LF3746 or LF9030	FF5276 + FF5275*				
CG-II		AH1189	LF694	FF5276 + FF5275* or FF209 or FF184 or FF5017				
KDII, MDII, RDII, TDII, JDII		AF25307	LF3641 or LF16354	FF204				
King of the Road		AH1189	LF3746	FF5276 + FF5275*				
LND		AF1658K	LF3994	FF204				
LND II		AF1658K	LF3641 or LF16354	FF204				
MD 100, 200, 300, RD-2 Spectrum TS-500/ TS 200, 300, 500, 600	TK-370 / TK-376	AF25550	LF16354 (Main) & LF36413	FF204				TK10-416
SB-I, SB-II, Sentry, Super NWD, URD, XNWD	Isuzu 2.2	AH1189	LF694 or LF702	FF184 or FF5017 or FF209 or FF204				
SBIII		AH1189	LF3746 or LF3994 or LF702 or LF694	FF5275 + FF5276* or FF204 or FF209				
SB130, 230, 330 EMI		AF25119	LF9030	FS20091				
Sentry-II		AH1189	LF3641	FF5275 + FF5276* or FF204				
Super II		AH1189 (some models)	LF3994 <sup>1</sup> or LF694 <sup>1</sup> LF702 <sup>2</sup> or LF695 <sup>3</sup>	FF5275 + FF5276* or FF204				
SL100, SL200, SL300, SL400, SL100e, 200e, 400e, SLX100, 200, 300, 400, SLX Whisper		AF25119	LF9030	FS19580A				
SL100, SL200, SL300, SL400 (old model) SL100e, 200e, 400e (old model)		AH1189	LF3746	FS19580A				TK10-2100
TK6000, NSDII, RC-II-III, RMN-II SMX, SMXII		AH1189	LF3746 or LF3641	FF5276 + FF5275 or FF204				

1 = Standard Interval  
2 = Extended Service  
3 = Bypass Filter,\* = Prefilter + Main filter

### CROSS REFERENCES

THERMO KING	FLEETGUARD
11-5692	AF1658K
11-6182	LF16354
11-6228	LF3641
11-6285	FF5276
11-7234	AF25307
11-7264	FF5275
11-7382	LF3746
11-7400	AH1189
11-9059	AF25550

THERMO KING	FLEETGUARD
11-9097	FF5017
11-9098	FF204
11-9099	LF694
11-9100	LF702
11-9101	LF3994
11-9102	FF184
11-9103	FF209
11-9182	LF9030
11-9300	AF25119


THERMOKING	FLEETGUARD
11-9321	LF3641
11-9341	FF204
11-9342	FS19580A
11-9954	FS20091











## NEW VRS CONSUMABLES CATALOGUE AVAILABLE NOW!

A market-leading, extended range of Workshop Consumables and Lubricants available from your local Scania branch. Pick up your catalogue today.

**ORDER TODAY  
CALL YOUR SCANIA BRANCH**



CARRIER	 ENGINE	 AIR	 OIL	 FUEL	 STEERING	 TRANSMISSION	 CABIN AIR	 OTHER
Genesis R 70 series (< Seriernr 800490)		AF1658K	LF3490	FF185				
Genesis R 90 series (< Seriernr G900496)		AF1658K	LF787	FF185				
Genesis R 90 series (> Seriernr G900496)		AF25550	LF787	FF185				
Maxima Series		AF25551	LF3536 FF185*	FF185				
Mistral Series, Mistral T850 Plus		AF25440K	LF3490	FF185				
Supra 848 DB		AF25550	LF3490 FF185*	FF185				
Supra 850U		AF25551	LF3490					
Supra 950MT		AF25551	LF787	FF185				
Ultra Thunderbird Series			LF778* LF787					
Vector PH1 (> Serie # RB100072)		AF25888	LF778					
Vector PH2 (< Serie # RB215025)		AF25888						
Vector PH2 (> Serie # RB100072)		AF25888	LF3947					

### CROSS REFERENCES

CARRIER	FLEETGUARD
941070	AF1658K
942642	AF25440K
300030200	FF185
300030400	LF778
300032300	LF787
300042620	AF25551

CARRIER	FLEETGUARD
300043022	AF25888
300045000	LF3947
306004920	AF25550
306011800	LF3490
306011900	LF16157 or LF3536




## SCANIA WORKSHOP SERVICES

NEED TO FOCUS ON YOUR CORE BUSINESS? THEN LET SCANIA MANAGE YOUR FLEET MAINTENANCE REQUIREMENTS.

- Manage your dedicated vehicle maintenance unit
- Maintenance and repair of all makes of LGV
- Maximise your vehicles potential
- Ancillary equipment (fridges, tail lifts, specialist bodies)
- Provide industry leading training
- Technical and support function recruitment
- Meeting your compliance and operational needs
- Flexible accounting options
- Underpinned by a nationwide Scania branch network

### FILTRATION KEY ABBREVIATIONS

Throughout the filtration section in this catalogue the following abbreviations have been used. This table explains their meaning.


(*) Upgrade - Long Life	(P) Primary	AS Air Oil Separator	AF Air Filter
(C) Active Carbon	(S) Safety	WF Water Filter	CS Lube Centrifugal By-Pass Filter
(F) Flame Retardant	(U) Urea Pump	FF Fuel Filter	HF Hydraulic Filter
		FS Fuel Separator	LF Lube Filter

# UPTIME IN GOOD TIME

WITH A RANGE OF MORE THAN 50,000 PARTS AND A FAST NATIONWIDE DELIVERY NETWORK.

High-performance parts you can trust – for truck and trailer – plus a market-leading selection of workshop consumables and lubricants.

- Nationwide network of dealers
- We partner with industry-leading brands
- Backed by Scania
- Comprehensive warranty cover



AXLE



BRAKING



AIR BRAKING



FILTRATION



ELECTRICAL



CHEMICALS



SUSPENSION



LUBRICANTS

Available exclusively through your local Scania branch or visit:  
[www.vehiclereLATEDservices.co.uk](http://www.vehiclereLATEDservices.co.uk)

**VRS**  
VEHICLE RELATED SERVICES



**VRS is a trademark of Scania (Great Britain) Limited,**  
Delaware Drive, Tongwell, Milton Keynes,  
Buckinghamshire MK15 8HB  
(Registered office); Registered in England Number 831017 ('Scania').  
+44 01908 210210  
[www.scania.co.uk](http://www.scania.co.uk)

[www.vehiclerelatedservices.co.uk](http://www.vehiclerelatedservices.co.uk)

Scania pursues an active policy of product development and improvement. For this reason, Scania reserves the right to make changes relating to design and specification, its products and services and any information without prior notice. Manufacturers' part numbers used in this brochure are for cross reference purposes only and do not imply anything about the origin or manufacturer of the product.